

**PUBLICATIONS dans des revues avec Comité de lecture
1972 - 2011**

Cliquez sur le début des titres notés en gras souligné pour voir le texte complet des articles

- 1)** Etude de la bande ν_4 de l'iodure de méthyle ICH_3
P. Connes, J. Pinard, G. Guelachvili, J.P. Maillard, C. Amiot, M.L. Grenier, C. Camy-Peyret, J.M. Flaud
J. Phys. **33**, 77-84 (1972)
- 2)** Etude de la bande $\nu_1 + \nu_4$ de CH_4 de 4136 à 4288 cm^{-1}
N. Husson, G. Poussigue, A. Valentin, C. Amiot
Revue de Physique Appliquée **7**, 267-278 (1972)
- 3)** High resolution Fourier transform spectrum of water between 2930 and 4255 cm^{-1}
C. Camy-Peyret, J.M. Flaud, G. Guelachvili, C. Amiot
Mol. Phys. **26**, 825-855 (1973)
- 4)** Etude rovibrationnelle de la bande parallèle à structure perpendiculaire $\nu_4 + \nu_6$ de CH_3Br .
N. Benzari-Zizi, C. Alamichel, C. Amiot
Mol. Phys. **27**, 1491-1501 (1974)
- 5)** Vibration-rotation bands of $^{14}\text{N}_2^{16}\text{O}$, 1.2 - 3.3 μm region.
C. Amiot, G. Guelachvili
J. Mol. Spectrosc. **51**, 475-491 (1974)
- 6)** High resolution vibration-rotation spectra of carbon-suboxide :
Molecular constants for the ground state and $2\nu_7$
A.W. Mantz, P. Connes, G. Guelachvili, C. Amiot
J. Mol. Spectrosc. **54**, 43-53 (1975)
- 7)** Nouvelle détermination des constantes rotationnelles de base du silane
G. Pierre, G. Guelachvili, C. Amiot
J. Phys. **36**, 487-492 (1975)
- 8)** The ground state of methane $^{12}\text{CH}_4$ through the forbidden lines of the ν_3 band
G. Tarrago, M. Dang, G. Poussigue, G. Guelachvili, C. Amiot
J. Mol. Spectrosc. **57**, 246-263 (1975)
- 9)** Perturbation study of the high resolution spectrum of methyl bromide in the range of the
fundamental band ν_1
M. Bétrencourt, M. Morillon, C. Amiot, G. Guelachvili
J. Mol. Spectrosc. **57**, 402-415 (1975)
- 10)** The potential energy function of the nitrous oxide molecule using pure vibrational data
A. Chédin, C. Amiot, Z. Cihla
J. Mol. Spectrosc. **63**, 348-369 (1976)
- 11)** Infrared absorption bands 1 - 0, 2 - 0, 3 - 0 and 4 - 0 of the two isotopic species D^{79}Br and D^{81}Br of deuterium
bromide
A. Fayt, D. Van Lerberghe, G. Guelachvili, C. Amiot, P. Bernage, P. Niay
Mol. Phys. **32**, 955-962 (1976)
- 12)** Extension of the 10^6 samples Fourier spectrometry to the indium antimonide region.
C. Amiot, G. Guelachvili
J. Mol. Spectrosc. **59**, 171-190 (1976)

- 13) **Vibration**-rotation bands of $^{14}\text{N}^{15}\text{N}^{16}\text{O}$ and $^{15}\text{N}^{14}\text{N}^{16}\text{O}$: 1.6 - 5 μm region
C. Amiot
J. Mol. Spectrosc. **59**, 191-208 (1976)
- 14) **Vibration** - rotation bands of $^{14}\text{N}_2^{16}\text{O}$ - $^{14}\text{N}_2^{18}\text{O}$
C. Amiot
J. Mol. Spectrosc. **59**, 380-395 (1976)
- 15) Spectral coincidences between CO laser lines and absorption lines of NO
C. Amiot
J. Phys. B **10**, 8, L317-L320 (1977)
- 16) **Infrared** study of the $X^2\Pi$ $v = 0, 1, 2$ levels of $^{14}\text{N}^{16}\text{O}$; preliminary results on the $v = 0, 1$ levels of $^{14}\text{N}^{17}\text{O}$, $^{14}\text{N}^{18}\text{O}$, $^{15}\text{N}^{16}\text{O}$
C. Amiot, R. Bacis, G. Guelachvili
Can. J. Phys. **56**, 2, 251-265 (1978)
- 17) High resolution Fourier spectrometry of P_2 infrared emission spectrum : analysis of a new system $A^1\Pi_g \rightarrow A'^1\Sigma_u^-$
C. Effantin, R. Bacis, C. Amiot, J. Vergès
J. Mol. Spectrosc. **69**, 79-90 (1978)
- 18) High resolution Fourier spectrometry of P_2 infrared emission spectrum.
Analysis of two new systems $b^3\Pi_g \rightarrow w^3\Delta_u$ and $A^1\Pi_g \rightarrow W^1\Delta_u$
C. Amiot, C. Effantin, J. d'Incan, J. Vergès
J. Mol. Spectrosc. **72**, 189-199 (1978)
- 19) New analysis of the C_2 Ballik-Ramsay system from flame emission spectra
C. Amiot, J. Chauville, J.P. Maillard
J. Mol. Spectrosc. **75**, 19-40 (1979)
- 20) Infrared study of the ^{15}N isotopic species of nitric oxide near 5.4 μm
C. Amiot, G. Guelachvili
J. Mol. Spectrosc. **76**, 86-103 (1979)
- 21) Analysis of the 0 - 0, 1 - 0 and 2 - 0 bands of the $B^3\Pi_g \rightarrow A^3\Sigma_u^+$ system of $^{14}\text{N}_2$ and $^{15}\text{N}_2$
C. Effantin, C. Amiot, J. Vergès
J. Mol. Spectrosc. **76**, 221-265 (1979)
- 22) Spin-rotation doubling in the NO $A^2\Sigma^+$, $D^2\Sigma^+$, $E^2\Sigma^+$ ($v=0$ electronic states) by emission F.T.S.
C. Amiot, J. Vergès
Chem. Phys. Lett. **66**, 570-573 (1979)
- 23) The $^{14}\text{N}^{16}\text{O}$ ground state up to $v = 15$ by emission Fourier transform spectroscopy of the $\Delta v = 2$ sequence
C. Amiot, J. Vergès
J. Mol. Spectrosc. **81**, 424-444 (1980)
- 24) Intesity and self-broadening coefficient measurements from Fourier transform spectra : application to the nitric oxide fundamental band
J.Y. Mandin, C. Amiot, G. Guelachvili
Ann. Phys. **5**, 91-112 (1980)
- 25) Infrared spectrum and molecular constants of CO_2 in the 1.4 - 1.7 μm atmospheric window by very high resolution Fourier transform spectroscopy
J.P. Maillard, M. Cuisenier, P. Arcas, E. Arié, C. Amiot
Can. J. Phys. **58**, 11, 1560-1569 (1980)
- 26) The emission spectrum of the OD radical in the infrared. Merge of the ultraviolet, infrared and microwave data
C. Amiot, J.P. Maillard, J. Chauville
J. Mol. Spectrosc. **87**, 196-218 (1981)

- 27) First observation of the $M^2\Sigma \rightarrow E^2\Sigma$ transition in NO
C. Amiot
Chem. Phys. Lett. **83**, 40-43 (1981)
- 28) The magnetic dipole transition $a^1\Delta_g \rightarrow X^3\Sigma_g$ in the oxygen afterglow
C. Amiot, J. Vergès
Can. J. Phys. **59**, 1391-1398 (1981)
- 29) Fine structure of the $C^2\Pi \rightarrow A^2\Sigma^+$ and $D^2\Sigma^+ \rightarrow A^2\Sigma^+$ band system of the NO molecule : homogeneous and heterogeneous perturbations
C. Amiot, J. Vergès
Phys. Scr. **25**, 302-311 (1982)
- 30) Fourier transform spectrometry of the $D^2\Sigma \rightarrow A^2\Sigma$, $E^2\Sigma \rightarrow D^2\Sigma$ and $E^2\Sigma \rightarrow A^2\Sigma$ band systems of nitric oxide
C. Amiot, J. Vergès
Phys. Scr. **26**, 422-438 (1982)
- 31) [The](#) infrared emission spectrum of NO : analysis of the $\Delta v = 3$ sequence up to $v = 22$
C. Amiot
J. Mol. Spectrosc. **94**, 150-172 (1982)
- 32) Fourier spectroscopy of the $^{12}C^{13}C$ and $^{13}C_2$ Ballik-Ramsay system
C. Amiot, J. Vergès
Astrophys. J. **263**, 993-998 (1982)
- 33) Fourier spectroscopy of the $^{12}C^{13}C$ and $^{13}C_2$ Phillips system
C. Amiot, J. Vergès
Astron. & Astrophys. Suppl. Ser. **51**, 257-265 (1983)
- 34) [Fourier](#) spectroscopy of the $^{12}C_2$, $^{13}C_2$ and $^{12}C^{13}C$ (0 - 0) Swan bands
C. Amiot
Astrophys. J. Suppl. Ser. **52**, 329-340 (1983)
- 35) First observation of the $A^2\Pi \rightarrow X^2\Sigma^+$ red system of $^{14}C^{14}N$
C. Amiot, J. Vergès
Chem. Phys. Lett. **95**, 189-194 (1983)
- 36) Laser induced fluorescence of Cs_2
C. Amiot, C. Crépin, J. Vergès
Chem. Phys. Lett. **98**, 608-610 (1983)
- 37) [The](#) vibration-rotation spectrum of ^{14}CO in the 2.4 - 3 μm spectral range
C. Amiot, J. Vergès, C.R. Vidal
J. Mol. Spectrosc. **103**, 364-378 (1984)
- 38) Ar^+ laser induced fluorescence of Cs_2 : the $E^1\Sigma_u$ and (1) $^1\Pi_g$ electronic states
C. Amiot, C. Crépin, J. Vergès
J. Mol. Spectrosc. **107**, 28-47 (1984)
- 39) The first two excited $^1\Sigma_g^+$ states of Cs_2
C. Amiot, C. Crépin, J. Vergès
Chem. Phys. Lett. **106**, 162-165 (1984)
- 40) Laser induced fluorescence of CsH : the $X^1\Sigma^+$ state dissociation energy
C. Crépin, J. Vergès, C. Amiot
Chem. Phys. Lett. **112**, 10-14 (1984)
- 41) Analysis of the I.P.A. long range potential of iodine in the $B^3\Pi_{0u}$ state
S. Gersternkorn, P. Luc, C. Amiot

J. Phys. **46**, 355-364 (1985)

- 42)** Fourier transform spectroscopy of the CO Angström bands
A. Le Floch, C. Amiot
Chem. Phys. **97**, 379-389 (1985)
- 43)** The $(1) \ ^3\Sigma_g^+$ electronic state of Cs_2
C. Amiot, J. Vergès
Chem. Phys. Lett. **116**, 273-278 (1985)
- 44)** Laser induced fluorescence of the Rb_2 molecule: the $X \ ^1\Sigma_g^+$ electronic state up to $v = 72$
C. Amiot, P. Crozet, J. Vergès
Chem. Phys. Lett. **121**, 390-394 (1985)
- 45)** First observation of the CO $E \ ^1\Pi \rightarrow B \ ^1\Sigma^+$ and $C \ ^1\Sigma^+ \rightarrow B \ ^1\Sigma^+$ band systems. Predissociation in the $E \ ^1\Pi$ ($v = 0$ level)
C. Amiot, J.Y. Roncin, J. Vergès
J. Phys. B **19**, L19-L23 (1986)
- 46)** The $^{13}\text{C}_2$ and $^{12}\text{C}^{13}\text{C}$ Ballik-Ramsay system
K. Islami, C. Amiot
J. Mol. Spectrosc. **118**, 132-144 (1986)
- 47)** Fourier spectroscopy of the Asundi System $a' \ ^3\Sigma^+ \rightarrow a \ ^3\Pi$ of $^{13}\text{C}^{16}\text{O}$
C. Amiot, K. Islami
J. Mol. Spectrosc. **118**, 363-382 (1986)
- 48)** The Rb_2 $(1) \ ^1\Pi_g$ electronic state by laser induced fluorescence infrared Fourier transform spectroscopy
C. Amiot
Mol. Phys. **58**, 667-678 (1986)
- 49)** The Rb_2 $(2) \ ^1\Sigma_g^+$ electronic state by laser induced fluorescence infrared Fourier transform spectroscopy
C. Amiot, J. Vergès
Mol. Phys. **61**, 51-63 (1987)
- 50)** The Cs_2 $A \ ^1\Sigma_u^+ \rightarrow X \ ^1\Sigma_g^+$ fluorescence excited by the Ar^+ 1.09 μm laser line
J. Vergès, C. Amiot
J. Mol. Spectrosc. **126**, 393-404 (1987)
- 51)** **High** resolution Fourier spectroscopy and laser spectroscopy of Cs_2 : the $(2) \ ^1\Sigma_u^+$, $C \ ^1\Pi_u$, $D \ ^1\Sigma_u$, $(3) \ ^1\Sigma_g^+$ and $E \ ^1\Sigma_u$ electronic states
C. Amiot, W. Demtröder, C.R. Vidal
J. Chem. Phys. **88**, 5265-5281 (1988)
- 52)** LIF spectroscopy of RbCs using an Ar^+ laser. Rotational analysis of the $^1\Sigma^+$ ground state for v'' up to 66
T. Gustavsson, C. Amiot, J. Vergès
Chem. Phys. Lett. **143**, 101-105 (1988)
- 53)** The NaLi electronic ground state studied by laser induced fluorescence and Fourier transform spectroscopy
C. Fellows, J. Vergès, C. Amiot
Mol. Phys. **63**, 1115-1122 (1988)
- 54)** Spectroscopic investigations of the diatomic molecule RbCs by means of L.I.F..I) Rotational analysis of the ground state up to near dissociation
T. Gustavsson, C. Amiot, J. Vergès
Mol. Phys. **64**, 279-292 (1988)
- 55)** Spectroscopic investigations of the diatomic molecule RbCs by means of L.I.F..II) Rotational analysis of five excited electronic states
T. Gustavsson, C. Amiot, J. Vergès

Mol. Phys. **64**, 293-313 (1988)

- 56)** The Cs_2 (3) $^1\Pi_u$ electronic state pumped by Ar^+ laser lines
C. Amiot
J. Chem. Phys. **89**, 3993-4000 (1988)
- 57)** The NaLi (3) $^1\Sigma^+$ (C) and (1) $^1\Pi$ (B) electronic states through collision energy transfer
C.E. Fellows, J. Vergès, C. Amiot
J. Chem. Phys. **93**, 6281-6290 (1990)
- 58)** **Laser** induced fluorescence of Rb_2 : the (1) $^1\Sigma_g^+$ (X), (2) $^1\Sigma_g^+$, (1) $^1\Pi_u$ (B), (1) $^1\Pi_g$, and (2) $^1\Pi_u$ (C) electronic states
C. Amiot
J. Chem. Phys. **93**, 8591-8604 (1990)
- 59)** Laser induced and Fourier transform spectroscopy of TiO
T. Gustavsson, C. Amiot, J. Vergès
J. of Mol. Spectrosc. **145**, 56-65 (1991)
- 60)** On the 3d Rydberg states of the NO molecule
A. Bernard, C. Effantin, J. d'Incan, C. Amiot, J. Vergès
Mol. Phys. **73**, 221-234 (1991)
- 61)** **The** K_2 ground electronic state
C. Amiot
J. of Mol. Spectrosc. **147**, 370-382 (1991)
- 62)** **The** (3s,3d) $^1\Delta_g$ electronic state of Na_2
R.F. Barrow, C. Amiot, J. Vergès, J. d'Incan, C. Effantin and A. Bernard
Chem. Phys. Letters **183**, 94-97 (1991)
- 63)** Laser-induced fluorescence of BaCl : the $\text{A}'^2\Delta$ state
C. Amiot and J. Vergès
Chem. Phys. Letters **185**, 310-312 (1991).
- 64)** The infrared emission spectrum of SiN between 2.2 and 4.4 μm
M. Elhanine, B. Hanoune, G. Guelachvili and C. Amiot
Journal de Physique II (special issue in honour of the 80th birthday of P. Jacquinet) vol. 2, n°4, 931-938 (1992).
- 65)** The RbCs electronic ground state revisited
C.E. Fellows, C. Amiot, and J. Vergès
Journal de Physique II (special issue in honour of the 80th birthday of P. Jacquinet) vol. 2, n°4, 939-946 (1992).
- 66)** Laser-induced fluorescence of BaCl : the $\text{B } ^2\Sigma^+ \rightarrow \text{X } ^2\Sigma^+$ electronic system
M. Hafid, C. Amiot and J. Vergès
Chem. Phys. Letters **210**, 45 - 49 (1993)
- 67)** Laser-induced fluorescence of BaCl : simultaneous analysis of ten electronic transitions between the seven low-lying electronic states
C. Amiot, M. Hafid and J. Vergès
J. Phys. B: Atomic, Molecular and Optical Physics **26**, L 407-412 (1993)
- 68)** High resolution rotational analysis of the $\text{B } ^3\Pi \rightarrow \text{X } ^3\Delta$ (1-0) band of the titanium monoxide
C. Amiot, E.M. Azaroual, P. Luc, and R. Vetter
J. Chem. Phys. **102**, 4375-4381 (1995)
- 69)** **Analysis** of spectra obtained by cold-atom photoassociation spectroscopy: the Rb_2 1g and 0_g^- electronic states up to 100Å
C. Amiot
Chem. Phys. Lett. **241**, 133-139 (1995)

- 70) [The](#) long-range potential of the $K_2 \ X \ ^1\Sigma_g^+$ ground electronic state up to 15 Å
C. Amiot, J. Vergès, and C.E. Fellows
J. Chem. Phys. **103**, 3350-3356 (1995)
- 71) [Laser](#)-Induced Fluorescence and High Resolution Fourier Transform Spectroscopy
J. Vergès, C. Amiot, R. Bacis, and A.J. Ross
Spectrochimica Acta, **51A**, n°7, 1191-1215 (1995)
- 72) The TiO sub-Doppler Spectrum of the $c \ ^1\Phi \rightarrow a \ ^1\Delta$ (0-0) band. Spin-Orbit Interactions in the c state
C. Amiot, M. Cheikh, P. Luc, and R. Vetter
J. Mol. Spectrosc. **179**, 159-167 (1996)
- 73) [New](#) measurements of the $a \ ^3\Sigma_u^+$ state of K_2 and Improved Analysis of Long Range Dispersion and Exchange Interactions between two K atoms
G. Zhao, W.T. Zemke, J.T. Kim, B. Ji, J.T. Bahns, W.C. Stwalley, Li Li, A.M. Lyyra, and C. Amiot
J. Chem. Phys. **105**, 7976-7985 (1996)
- 74) BaCl Laser Induced Fluorescence for seven low-lying electronic states
C. Amiot, M. Hafid, and J. Vergès
J. Mol. Spectrosc. **180**, 121-138 (1996)
- 75) Precise wavenumber calibration in molecular beam spectra: the case of TiO
P. Luc, Y. D'Aigneaux, C. Amiot, and R. Vetter
Metrologia, **34**, 319-329 (1997)
- 76) Optical-Optical double resonance and Fourier transform spectroscopy: the $Rb_2 \ B \ ^1\Pi_u$ electronic state up to the quasibound energy levels
C. Amiot, C. Vergès
Chem. Phys. Lett. **274**, 91-98 (1997)
- 77) The $AuH \ A \ 0^+ \rightarrow X \ ^1\Sigma^+$ system
C.E. Fellows, M. Rosberg, A.P.C. Campos, R.F. Gutterres, C. Amiot
J. Mol. Spectrosc. **185**, 420-421 (1997)
- 78) [High](#) resolution spectroscopy with molecular beams and tunable lasers
R. Vetter, P. Luc, and C. Amiot
Laser Chem. **18**, 1-11 (1998)
- 79) The $BaI \ B \ ^2\Sigma^+$ and $X \ ^2\Sigma^+$ electronic states through B-X and C-X band system analysis
R.F. Gutterres, J. Vergès, and C. Amiot
J. Mol. Spectrosc. **196**, 29-44 (1999).
- 80) [Photodissociative](#) spectroscopy of the $Cs_2 \ 0_g^-$ long-range state
A. Fioretti, D. Comparat, C. Drag, C. Amiot, O. Dulieu, F. Masnou, C. Amiot, and P. Pillet
Eur. Phys.J. D **5**, 389-403 (1999)
- 81) [The](#) $RbCs \ X \ ^1\Sigma^+$ ground electronic state. New spectroscopic study
C.E. Fellows, R.F. Gutterres, A.P.C. Campos, J. Vergès, and C. Amiot
J. Mol. Spectrosc. **197**, 19-27 (1999).
- 82) [Resolution](#) of the apparent disorder of the $Rb_2 \ A \ ^1\Sigma_u^+ (0_u^+) \rightarrow b \ ^3\Pi_u (0_u^+)$ spectra: a case of fully coupled electronic states
C. Amiot, O. Dulieu, and J. Vergès
Phys. Rev. Lett. **83**, 2316-2319 (1999).
- 83) The $(3) \ ^1\Pi \rightarrow (3) \ ^1\Sigma$ system of KRb
C. Amiot, J. Vergès, C. Effantin, and J. d'Incan
Chem. Phys. Lett., **315**, 55-60 (1999).

- 84) The E-C transition of NO, and term values for the A, C, D, E lowest Rydberg levels
V.D. Braun, K.P. Huber, M. Vervloet, C. Amiot, and J. Vergès
J. Mol. Spectrosc. **203**, 65-74 (2000).
- 85) **Multichannel** tunnelling in the $\text{Cs}_2\ 0_g^-$ photoassociation
M. Vatasescu, O. Dulieu, C. Amiot, D. Comparat, C. Drag, V. Kokoouline, F. Masnou-Seeuws, P. Pillet
Phys. Rev. A. **61**, 44701 (2000).
- 86) High Resolution Study of the BaI A $^2\Pi$ Electronic State,
R.F. Gutterres, J. Vergès, and C. Amiot,
J. Mol. Spectrosc., **200**, 253-260 (2000).
- 87) The KRb (2) $^1\Pi$ electronic state,
C. Amiot, J. Vergès, C. Effantin, and J. d'Incan,
Chem. Phys. Lett., **321**, 21-24 (2000).
- 88) **The** KRb ground electronic state potential up to 10 Å,
C. Amiot and J. Vergès,
J. Chem.Phys., **112**, 7068-7074 (2000).
- 89) First Observation of the BaI A' $^2\Delta$ Electronic State : the $\omega = 3/2$ Component,
R.F. Gutterres and C. Amiot J. Verges,
J. Mol. Spectrosc., **201**, 326-327 (2000).
- 90) **The** KRb (2) $^3\Sigma^+$ Electronic State,
C. Amiot,
J. Mol. Spectrosc., **203**, 126-131 (2000).
- 91) **Direct** Potential Fit Analysis of the X $^1\Sigma_g^+$ state of Rb_2 : Nothing Else Will Do! ,
J.Y.Seto, R.J. Le Roy, J. Verges and C. Amiot,
J. Chem. Phys., **113**, 3067-3076 (2000).
- 92) Photoassociative spectroscopy and formation of cold molecules,
P. Pillet, C. Drag, B. Laburthe Tolra, D. Comparat, A. Fioretti, S. Guibal, C. Amiot,
A. Crubellier, O. Dulieu, and F. Masnou-Seeuws,
Physica Scripta, **86**, 3845 (2000).
- 93) Fourier Transform spectroscopy of the BaI molecule. Simultaneous analysis of the Electronic States including the D $^2\Sigma^+$ and the G $^2\Sigma^+$ States,
R.F. Gutterres, C.E. Fellows, J. Verges, and C. Amiot,
J. Mol. Spectrosc., **206**, 62-72 (2001).
- 94) **Cold** rubidium formation through photoassociation: A spectroscopic study of the 0_g^- long-range state of $^{87}\text{Rb}_2$,
A. Fioretti, C. Amiot, C.M. Dion, O. Dulieu, M. Mazzoni, G. Smirne, and C. Gabbanini,
Eur. Phys. J. D, **15**, 189-198 (2001).
- 95) **Determination** of the ^{87}Rb 5p state dipole matrix element and radiative lifetime from the photoassociation spectroscopy of the $\text{Rb}_2\ 0_g^-$ ($P3/2$) long-range state,
R. F. Gutterres, C. Amiot, A. Fioretti, C. Gabbanini and O. Dulieu,
Phys. Rev. A, **66**, 024502/1-4 (2002).
- 96) Isotope shifts in the TiO B-X (1-0) band,
C. Amiot, P. Luc and R. Vetter,
J. Mol. Spectrosc., **214**, 196-201 (2002).
- 97) **The** Cs_2 ground electronic state by Fourier transform spectroscopy: dispersion coefficients,
C. Amiot, and O. Dulieu,
Chem. Phys., **117**, 5155-5164 (2002).

- 98) Determination of the Cs_2 $0_g(P3/2)$ potential curve and of Cs $6P(1/2;3/2)$ atomic radiative lifetimes from photoassociation spectroscopy, C. Amiot, O. Dulieu, R.F. Gutterres and F. Masnou-Seeuws, Phys. Rev. A., **66**, 52506/1 52506/9 (2002).
- 99) Spin-Orbit interactions, new spectral data, and deperturbation of the coupled $b^3\Pi_u$ and $A^1\Sigma_u^+$ states of K_2 , M.R. Manaa, A.J. Ross, F. Martin, P. Crozet, A.M. Lyyra, LiLi, C.Amiot, and T. Bergeman, J. Chem Phys., **117**, 11208-11215 (2002).
- 100) Analysis of Strongly Coupled Electronic States in Diatomic Molecules: the case of low-lying excited states of RbCs , T. Bergeman, C.E. Fellows, R.F. Gutterres, and C. Amiot, Phys. Rev. A., **67**, 50501/1 50501/4, (2003)
- 100bis) Phys. Rev. A., **67**, 69903, (2003)
- 101 Global analysis of data on the spin-orbit coupled $A^1\Sigma_u^+$ and $b^3\Pi_u$ states of Cs_2 J. Bai, E.H. Ahmed, B. Beser, Y. Guan, S. Kotochigova, A.M. Lyyra, S. Ashman, C.M. Wolfe, J. Huennekens, F. Xie, D. Li, L. Li, M. Tamanis, R. Ferber, A. Drozdova, E. Pazyuk, A.V. Stolyarov, J.G. Danzl, H.C. Nager, N. Bouloufa, O. Dulieu, C. Amiot, H. Salami, T. Bergeman Phys. Rev. A., **83**, 32514/1 32514/17 (2011)

PUBLICATIONS DANS DES ACTES DE COLLOQUES

- 1) Molecular Fourier Spectroscopy
C. Amiot, P. Connes, G. Guelachvili
"Molecular Spectroscopy of Dense Phases – Proceedings of the 12th European Congress on Molecular Spectroscopy", 743-752, Strasbourg, 1- 4 juillet 1975
Elsevier Scientific Publ. Co., Amsterdam (1976)
- 2) Laser induced fluorescence of Cs_2 : five new electronic states
C. Amiot, J. Vergès
Proceedings of the A.I.P. Conf., **146**, 460-461 (1986)
- 3) Laser induced fluorescence and high resolution Fourier transform spectroscopy (L.I.F.F.T.S.)
J. Vergès, C. Amiot
1st International Laser M2P Conference, 7-9 juillet 1987, Lyon-Villeurbanne. J. Phys. Coll. C7, tome **48**, 595-600
Editeurs: R. Bacis, R. Lambert, A.B. Vannes.
- 4) L.I.F.F.T.S.: a powerful technique for the spectroscopy of two heavy molecules Rb_2 and Cs_2
C. Amiot, J. Vergès
1st International Laser M2P Conference, 7-9 juillet 1987, Lyon-Villeurbanne. J. Phys. Coll. C7, tome **48**, 690-691
Editeurs: R. Bacis, R. Lambert, A.B. Vannes.
- 5) High resolution laser spectroscopy of Ti and TiO
C. Amiot, E.M. Azaroual, P. Luc, and R. Vetter
Proceedings of the 5th workshop on Laboratory and Astronomical High Resolution Spectra: held in Bruxelles, 29 août - 2 sept. 1994 in honour of the 150th birthday of Charles Viviez (1844-1890), the pioneer of astronomical spectroscopy in Belgium. Edited by A.J. Sauval, R. Blomme and N. Grevesse. Publisher : Astronomical Society of the Pacific, San Francisco, 1995.
- 6) Translationally cold Cs_2 molecules formation in a magneto-optical trap
A. Fioretti, D. Comparat, C. Drag, A. Crubellier, O. Dulieu, F. Masnou, C. Amiot, and P. Pillet
Proceedings of the AIP Conference, **454** " *The ninth International Symposium on Resonance Ionization Spectroscopy: New Directions and Applications* " ed. by J.C. Vickerman, I. Lyon, N. P.Lockyer, and J. E. Parks, 147-152. The American Institute of Physics (1998)

- 7) Formation of cold Cs₂ molecules through photoassociation
A. Fioretti, C. Drag, B. Laburthe-Tolra, D. Comparat, C. Amiot, A. Crubellier, O. Dulieu, F. Masnou-Seeuws, and P. Pillet,
Proceedings of the AIP Conference, 500 “The Physics of electronic and atomic collisions: XXI International Conference”, Sendai, Juillet 1999), 198-206. Edited par Y. Itikawa, K. Okumo, H. Tanaka, A. Yagishita and M. Matzuzawa

PUBLICATIONS DE LABORATOIRES

Laboratoire Aimé Cotton

[The Atlas of transition lines.htm](#)

Université de Waterloo (Canada)

Direct Potential Fit Analysis of the X ¹Σ_g⁺ state of Rb₂ : Nothing Else Will Do! ,
J.Y.Seto, R.J. Le Roy, J. Verges and C. Amiot,
Chemical Physics Research Report, CP-645, (2000).